

भारत सरकार
भारत मौसम विज्ञान विभाग
(पृथ्वी विज्ञान मंत्रालय)
मौसम केन्द्र
आल्टीनो, पणजी, गोवा - 403 001



GOVERNMENT OF INDIA
METEOROLOGICAL DEPARTMENT
(Ministry of Earth Sciences)
METEOROLOGICAL CENTRE
Panaji , Goa – 403001

मौ के गोवा आ शा टी सं.

/D-21019/3/13/ 511

दिनांक. 11-10-2018

QUOTATION INVITE

Sub: Invitation for quotations for installation Digital Display Board.

This office has decided to install one outdoor type digital board near the main gate of office for the display of weather related information for the public. Requirements are given below.

- 1) Size- 3' X 6'
- 2) Display of Office name, Date & Time at the top in Multicolours.
- 3) Display of weather parameters for different stations in a table format as below. These values should be steady and not moving. Colour should be red.

Station	Maximum Temperature (°C)	Minimum Temperature (°C)	Rainfall

- 4) Provision to display multiple tables one after another in repetition.
- 5) Provision to change the column titles.
- 6) One line of multicolour running display for forecast statement issued by the office.
- 7) One line of multicolour running display of warnings issued by the office.
- 8) Display should support English and Devnagiri scripts, Numbers, Special Characters and symbols.
- 9) Characters should be visible at least from a distance of 50 meters with an IP rating of at least IP 65 and pixel pitch of at least 10m.
- 10) The data update should be possible using USB drive.
- 11) Software to update daily data should be provided.
- 12) Operating voltage should be 220-240V.
- 13) Display board to be mounted at a height of 6 feet from ground at the main gate of M.C.Goa office.

Interested agencies can visit this office between 10am to 5 pm to take the required measurements for connecting cables, height of board from ground, exposure conditions etc. Sealed quotations for the digital board and its installation work may be submitted to the following address on or before 30/10/2018. Quotations including cost of mounting structure may be given preference. The quote should include all the charges including tax.

Director
Meteorological Centre,
Altinho, Panaji,
Goa-403001

For Director